

CURRICULUM VITAE

Shun-ichi SEKINE

Feb 22, 2018

Laboratory Head
Laboratory for Transcription Structural Biology
RIKEN Center for Biosystems Dynamics Research

Address:

1-7-22 Suehiro-cho, Tsurumi-ku, Yokohama, 230-0045 JAPAN

Education:

1997	Ph. D. University of Tokyo
1992-1997	Graduate School of Science, University of Tokyo
1988-1992	Faculty of Science, Tohoku University

Academic Experience:

2018-present	Team Leader (PI), Laboratory for Transcription Structural Biology, RIKEN Center for Biosystems Dynamics Research (BDR)
2013-2018	Team Leader (PI), Supramolecular Structural Biology Team, RIKEN Center for Life Science Technologies (CLST)
2012-2013	Senior Research Scientist, RIKEN Systems and Structural Biology Center (SSBC)
2010-2012	Associate professor, Laboratory of Structural Biology, Graduate School of Science, University of Tokyo
2004-2010	Lecturer, Department of Biophysics and Biochemistry, Graduate School of Science, University of Tokyo
2001-2004	Researcher, RIKEN Cellular Signaling Lab.
1999-2001	Special Postdoctoral Researcher, RIKEN Cellular Signaling Lab.
1998-1999	Contract Researcher, RIKEN Cellular Signaling Lab.
1997-1998	JSPS PD Research Fellow, University of Tokyo

Field of research:

Structural Biology, Biochemistry, Molecular Biology

Publications

Research Articles:

Ooi, W.Y., Murayama, Y., Mekler, V., Minakhin, L., Severinov,[†] K., Yokoyama, S. and Sekine, S.[†] “A *Thermus* phage protein inhibits host RNA polymerase by preventing template DNA strand loading during open promoter complex formation”, ***Nucleic Acids Res.*** 46, 431-441 (2017). ([†]Correspondence)

Ehara, H., Yokoyama, T., Shigematsu, H., Yokoyama, S., Shirouzu, M. and Sekine, S.[†] “Structure of the complete elongation complex of RNA polymerase II with basal factors”, ***Science***, 357, 921-924 (2017). ([†]Correspondence)

Shimizu, H., Tosaki, A., Ohsawa, N., Ishizuka-Katsura, Y., Shoji, S., Miyazaki, H., Oyama, F., Terada, T., Shirouzu, M., Sekine, S., Nukina, N. and Yokoyama, S. “Parallel homodimer structures of the extracellular domains of the voltage-gated sodium channel β 4 subunit explain its role in cell-cell adhesion”, ***J. Biol. Chem.***, 292, 13428-13440 (2017).

Ehara, H., Umehara, T., Sekine, S. and Yokoyama, S. “Crystal structure of RNA polymerase II from *Komagataella pastoris*”, ***Biochem. Biophys. Res. Commun.***, 487, 230-235 (2017).

Shimizu, H., Miyazaki, H., Ohsawa, N., Shoji, S., Ishizuka-Katsura, Y., Tosaki, A., Oyama, F., Terada, T., Sakamoto, K., Shirouzu, M., Sekine, S., Nukina, N. and Yokoyama, S. “Structure-based site-directed photo-crosslinking analyses of multimeric cell-adhesive interactions of voltage-gated sodium channel β subunits”, ***Sci. Rep.*** 6, 26618 (2016).

Tomabechi, Y., Hosoya, T., Ehara, H., Sekine, S., Shirouzu, M. and Inouye, S. “Crystal structure of nanoKAZ: The mutated 19 kDa component of *Oplophorus* luciferase catalyzing the bioluminescent reaction with coelenterazine. ***Biochem. Biophys. Res. Commun.*** 470, 88-93 (2016).

Itoh, Y., Sekine, S. and Yokoyama, S. “Crystal structure of the full-length bacterial selenocysteine-specific elongation factor SelB”, ***Nucleic Acids Res.*** 43, 9028-9038 (2015).

Sekine, S.[†] Murayama, Y., Svetlov, V., Nudler, E. and Yokoyama, S.[†] “Ratcheting of RNA polymerase toward structural principles of RNA polymerase operations”, ***Transcription*** 6: 56-60 (2015). ([†]Correspondence)

- Ito, T., Masuda, I., Yoshida, K., Goto-Ito, S., Sekine, S., Suh, S.W., Hou, Y.M. and Yokoyama, S. "Structural basis for methyl-donor-dependent and sequence-specific binding to tRNA substrates by knotted methyltransferase TrmD", ***Proc. Natl. Acad. Sci. U.S.A.*** *112*, E4197-205 (2015).
- Ehara, H., Makino, M., Kodama, K., Konoki, K., Ito, T., Sekine, S., Fukuzawa, S., Yokoyama, S. and Tachibana, K. "Crystal structure of okadaic acid binding protein 2.1: a sponge protein implicated in cytotoxin accumulation", ***ChemBiochem***, *16*, 1435-1439 (2015).
- Yanagisawa, T., Ishii, R., Hikida, Y., Fukunaga, R., Sengoku, T., Sekine, S. and Yokoyama, S. "A SelB/EF-Tu/aIF2 γ -like protein from *Methanosarcina mazei* in the GTP-bound form binds cysteinyl-tRNA^{Cys}", ***J. Struct. Funct. Genomics***. *16*, 25-41 (2015).
- Sekine, S.^{*†} Murayama, Y.^{*} Svetlov, V., Nudler, E. and Yokoyama, S.[†] "The ratcheted and ratchetable structural states of RNA polymerase underlie multiple transcriptional functions", ***Mol. Cell*** *57*, 408-21 (2015). (^{*}Co-first authors, [†]Correspondence)
- Antonopoulos, I.H., Murayama, Y., Warner, B.A., Sekine, S. Yokoyama, S., Carey, P.R. "Time-resolved Raman and polyacrylamide gel electrophoresis observations of nucleotide incorporation and misincorporation in RNA within a bacterial RNA polymerase crystal", ***Biochemistry*** *54*, 652-665 (2015).
- Higo, T., Suka, N., Ehara, H., Wakamori, M., Sato, S., Maeda, H., Sekine, S. Umehara, T. and Yokoyama, S. "Development of a hexahistidine-3 \times FLAG-tandem affinity purification method for endogenous protein complexes in *Pichia pastoris*", ***J. Struct. Funct. Genomics***. *15*, 191-199 (2014).
- Severinov, K., Minakhin, L., Sekine, S. Lopatina, A. and Yokoyama, S. "Molecular basis of RNA polymerase promoter specificity switch revealed through studies of *Thermus* bacteriophage transcription regulator", ***Bacteriophage*** *4*, e29399 (2014).
- Naganuma, M., Sekine, S. Chong, Y.E., Guo, M., Yang, X.L., Gamper, H., Hou, Y.M., Schimmel, P. and Yokoyama, S. "The selective tRNA aminoacylation mechanism based on a single G•U pair", ***Nature*** *510*, 507-511 (2014).
- Tagami, S.^{*} Sekine, S.^{*} Minakhin, L.^{*} Esyunina, D., Akasaka, R., Shirouzu, M., Kulbachinskiy, A., Severinov, K. and Yokoyama, S. "Structural basis for promoter specificity switching of RNA polymerase by a phage factor", ***Genes Dev.*** *28*, 521-531

(2014). (*Co-first authors)

Itoh, Y., Bröcker, M.J., Sekine, S., Söll, D. and Yokoyama, S. “Dimer-dimer interaction of the bacterial selenocysteine synthase Sela promotes functional active-site formation and catalytic specificity”, **J. Mol. Biol.** 426, 1723-1735 (2014).

Itoh, Y., Sekine, S., Suetsugu, S. and Yokoyama, S. “Tertiary structure of bacterial selenocysteine tRNA”, **Nucleic Acids Res.** 41, 6729-6738 (2013).

Itoh, Y., Bröcker, M.J., Sekine, S., Hammond, G., Suetsugu, S., Söll, D. and Yokoyama, S. “The decameric Sela tRNA^{Sec} ring structure reveals the mechanism of bacterial selenocysteine formation”, **Science** 340, 75-78 (2013).

Nakagawa, H., Kuratani, M., Goto-Ito, S., Ito, T., Katsura, K., Terada, T., Shirouzu, M., Sekine, S., Shigi, N. and Yokoyama, S. “Crystallographic and mutational studies on the tRNA thiouridine synthetase TtuA”, **Proteins** 81, 1232-1244 (2013).

Murayama, Y., Sekine, S.[†] and Yokoyama, S.[†] “Crystallization and preliminary X-ray crystallographic analyses of *Thermus thermophilus* backtracked RNA polymerase”, **Acta Crystallogr F**69, 174–177 (2013). (†Correspondence)

Itoh, Y., Sekine, S. and Yokoyama, S. “Crystallization and preliminary X-ray crystallographic analysis of *Aquifex aeolicus* Sela, a bacterial selenocysteine synthase”, **Acta Crystallogr. F**68, 1128-1133 (2012).

Itoh, Y., Sekine, S. and Yokoyama, S. “Crystallization and preliminary X-ray crystallographic analysis of bacterial tRNA^{Sec} in complex with seryl-tRNA synthetase” **Acta Crystallogr. F**68, 678-682 (2012).

Hanawa-Suetsugu, K., Kukimoto-Niino, M., Mishima-Tsumagari, C., Akasaka, R., Ohsawa, N., Sekine, S., Ito, T., Tochio, N., Koshiha, S., Kigawa, T., Terada, T., Shirouzu, M., Nishikimi, A., Uruno, T., Katakai, T., Kinashi, T., Kohda, D., Fukui, Y. and Yokoyama, S. “Structural basis for mutual relief of the Rac guanine nucleotide exchange factor DOCK2 and its partner ELMO1 from their autoinhibited forms”, **Proc. Natl. Acad. Sci. U. S. A.** 109, 3305-3310 (2012).

Sekine, S., Tagami, S. and Yokoyama, S. “Structural basis of transcription by bacterial and eukaryotic RNA polymerases”, **Curr. Opin. Struct. Biol.** 22, 110-118 (2012).

Tagami, S., Sekine, S. and Yokoyama, S. “A novel conformation of RNA polymerase sheds light on the mechanism of transcription”, **Transcription** 2, 162-167 (2011).

Ehara, H., Sekine, S. and Yokoyama, S., “Crystal structure of the C17/25 subcomplex

from *Schizosaccharomyces pombe* RNA Polymerase III”, **Protein Sci.** 20, 1558-1565 (2011).

Tagami, S., Sekine, S.[†] Kumarevel, T., Hino, N., Murayama, Y., Kamegamori, S., Yamamoto, M., Sakamoto, K. and Yokoyama, S.[†] “Crystal structure of bacterial RNA polymerase bound with a transcription inhibitor protein”, **Nature** 468, 978-982 (2010). (†Correspondence)

Hikida, Y., Kuratani, M., Bessho, Y., Sekine, S. and Yokoyama, S. “Crystal structure of an archaeal homologue of the bacterial Fmu/RsmB/RrmB rRNA cytosine 5-methyltransferase”, **Acta Crystallogr. D**66, 1301-1307 (2010).

Chiba, S., Itoh, Y., Sekine, S. and Yokoyama, S. “Structural basis for the major role of O-phosphoseryl-tRNA kinase in the UGA-specific encoding of selenocysteine”, **Mol. Cell** 39, 410-420 (2010).

Kuratani, M., Hirano, M., Goto-Ito, S., Itoh, Y., Hikida, Y., Nishimoto, M., Sekine, S., Bessho, Y., Ito, T., Grosjean, H. and Yokoyama, S. “Crystal structure of *Methanocaldococcus jannaschii* Trm4 complexed with sinefungin”, **J. Mol. Biol.** 401, 323-333 (2010).

Tagami, S., Sekine, S.[†] Kumarevel, T., Yamamoto, M. and Yokoyama, S.[†] “Crystallization and preliminary X-ray crystallographic analysis of *Thermus thermophilus* transcription elongation complex bound to Gfh1”, **Acta Crystallogr. F**66, 64-68 (2010). (†Correspondence)

Itoh, Y., Chiba, S., Sekine, S. and Yokoyama S. “Crystal structure of human selenocysteine tRNA”, **Nucleic Acids Res.** 37, 6259-6268 (2009).

Konno, M., Sumida, T., Uchikawa, E., Mori, Y., Yanagisawa, T., Sekine, S. and Yokoyama, S. “Modeling of tRNA-assisted mechanism of Arg activation based on a structure of Arg-tRNA synthetase, tRNA, and an ATP analog (ANP)”, **FEBS J.** 276, 4763-4779 (2009).

Naganuma, M., Sekine, S. Fukunaga, R. and Yokoyama, S. “Unique protein architecture of alanyl-tRNA synthetase for aminoacylation, editing, and dimerization”, **Proc. Natl. Acad. Sci. U.S.A.** 106, 8489-8494 (2009).

Itoh, Y.,* Sekine, S.* Matsumoto, E., Akasaka, R., Takemoto, C., Shirouzu, M. and Yokoyama, S. “Structure of selenophosphate synthetase essential for selenium incorporation into proteins and RNAs”, **J. Mol. Biol.** 385, 1456-1469 (2009). (*Co-first

authors)

Itoh, Y., Sekine, S., Kuroishi, C., Terada, T., Shirouzu, M., Kuramitsu, S. and Yokoyama, S. "Crystallographic and mutational studies of seryl-tRNA synthetase from the archaeon *Pyrococcus horikoshii*", **RNA Biol.** 5, 169-177 (2008).

Matsumoto, E., * Sekine, S. * Akasaka, R., Otta, Y., Katsura, K., Inoue, M., Kaminishi, T., Terada, T., Shirouzu, M. and Yokoyama, S. "Structure of an N-terminally truncated selenophosphate synthetase from *Aquifex aeolicus*", **Acta Crystallogr. F64**, 453-458 (2008). (*Co-first authors)

Goto-Ito, S., Ishii, R., Ito, T., Shibata, R., Fusatomi, E., Sekine, S., Bessho, Y. and Yokoyama, S. "Structure of an archaeal TYW1, the enzyme catalyzing the second step of wye-base biosynthesis", **Acta Crystallogr. D63**, 1059-1068 (2007).

Shinkai, A., * Sekine, S. * Urushibata, A., Terada, T., Shirouzu, M. and Yokoyama, S. "The putative DNA-binding protein Sto12a from the thermoacidophilic archaeon *Sulfolobus tokodaii* contains intrachain and interchain disulfide bonds", **J. Mol. Biol.** 372,1293-1304 (2007). (*Co-first authors)

Bessho, Y., Shibata, R., Sekine, S., Murayama, K., Higashijima, K., Hori-Takemoto, C., Shirouzu, M., Kuramitsu, S. and Yokoyama, S. "Structural basis for functional mimicry of long-variable-arm tRNA by transfer-messenger RNA", **Proc. Natl. Acad. Sci. U.S.A.** 104, 8293-8298 (2007).

Hiyama, T.B., Zhao, M., Kitago, Y., Yao, M., Sekine, S., Terada, T., Kuroishi, C., Liu, Z.J., Rose, J.P., Kuramitsu, S., Shirouzu, M., Watanabe, N., Yokoyama, S., Tanaka, I. and Wang, B.C. "Structural basis of CoA recognition by the *Pyrococcus* single-domain CoA-binding proteins", **J. Struct. Funct. Genomics** 7, 119-129 (2007).

Sekine, S., Shichiri, M., Bernier, S., Chênevert, R., Lapointe, J. and Yokoyama, S. "Structural bases of transfer RNA-dependent amino acid recognition and activation by glutamyl-tRNA synthetase", **Structure** 14, 1791-1799 (2006).

Sasaki, H.M., Sekine, S., Sengoku, T., Fukunaga, R., Hattori, M., Utsunomiya, Y., Kuroishi, C., Kuramitsu, S., Shirouzu, M. and Yokoyama, S. "Structural and mutational studies of the amino acid-editing domain from archaeal/eukaryal phenylalanyl-tRNA synthetase", **Proc. Natl. Acad. Sci. U.S.A.** 103, 14744-14749 (2006).

Iwasaki, W., Sekine, S., Kuroishi, C., Kuramitsu, S., Shirouzu, M. and Yokoyama, S. "Structural basis of the water-assisted asparagine recognition by asparaginyl-tRNA

- synthetase”, *J. Mol. Biol.* 360, 329-342 (2006).
- Kuratani, M., Sakai, H., Takahashi, M., Yanagisawa, T., Kobayashi, T., Murayama, K., Chen, L., Liu, Z.J., Wang, B.C., Kuroishi, C., Kuramitsu, S., Terada, T., Bessho, Y., Shirouzu, M., Sekine, S. and Yokoyama, S. “Crystal structures of tyrosyl-tRNA synthetases from Archaea”, *J. Mol. Biol.* 355, 395-408 (2006).
- Kuratani, M., Ishii, R., Bessho, Y., Fukunaga, R., Sengoku, T., Shirouzu, M., Sekine, S. and Yokoyama, S. “Crystal structure of tRNA adenosine deaminase (TadA) from *Aquifex aeolicus*”, *J. Biol. Chem.* 280, 16002-16008 (2005).
- Hanawa-Suetsugu, K., Sekine, S., Sakai, H., Hori-Takemoto, C., Terada, T., Unzai, S., Tame, J.R., Kuramitsu, S., Shirouzu, M. and Yokoyama, S. “Crystal structure of elongation factor P from *Thermus thermophilus* HB8”, *Proc. Natl. Acad. Sci. U.S.A.* 101, 9595-9600 (2004).
- Randau, L., Schauer, S., Ambrogelly, A., Salazar, J.C., Moser, J., Sekine, S., Yokoyama, S., Söll, D. and Jahn, D. “tRNA recognition by glutamyl-tRNA reductase” *J. Biol. Chem.* 279, 34931-34937 (2004).
- Artsimovitch, I., Patlan, V., Sekine, S., Vassylyeva, M.N., Hosaka, T., Ochi, K., Yokoyama, S. and Vassylyev, D.G. “Structural basis for transcription regulation by alarmone ppGpp” *Cell* 117, 299-310 (2004).
- Sakai, H., Vassylyeva, M.N., Matsuura, T., Sekine, S., Gotoh, K., Nishiyama, M., Terada, T., Shirouzu, M., Kuramitsu, S., Vassylyev, D.G. and Yokoyama, S. “Crystal structure of a lysine biosynthesis enzyme, LysX, from *Thermus thermophilus* HB8”, *J. Mol. Biol.* 332, 729-740 (2003).
- Vassylyeva, M.N., Sakai, H., Matsuura, T., Sekine, S., Nishiyama, M., Terada, T., Shirouzu, M., Kuramitsu, S., Vassylyev, D.G. and Yokoyama, S. “Cloning, expression, purification, crystallization and initial crystallographic analysis of the lysine-biosynthesis LysX protein from *Thermus thermophilus* HB8”, *Acta Crystallogr. D* 59, 1651-1652 (2003).
- Fukai, S., Nureki, O., Sekine, S., Shimada, A., Vassylyev, D.G. and Yokoyama, S. “Mechanism of molecular interactions for tRNA^{Val} recognition by valyl-tRNA synthetase”, *RNA* 9, 100-111 (2003).
- Sekine, S., Nureki, O., Dubois, D.Y., Bernier, S., Chenevert, R., Lapointe, J., Vassylyev, D.G. and Yokoyama, S. “ATP binding by glutamyl-tRNA synthetase is switched to the

- productive mode by tRNA binding”, *EMBO J.* 22, 676-688 (2003).
- Vassilyeva, M.N., Lee, J., Sekine, S., Laptenko, O., Kuramitsu, S., Shibata, T., Inoue, Y., Borukhov, S., Vassilyev, D.G. and Yokoyama, S. “Purification, crystallization and initial crystallographic analysis of RNA polymerase holoenzyme from *Thermus thermophilus*”, *Acta Crystallogr. D* 58, 1497-1500 (2002).
- Vassilyev, D.G., Sekine, S., Laptenko, O., Lee, J., Vassilyeva, M.N., Borukhov, S. and Yokoyama, S. “Crystal structure of a bacterial RNA polymerase holoenzyme at 2.6 Å resolution”, *Nature* 417, 712-719 (2002).
- Sekine, S., Shimada, A., Nureki, O., Cavarelli, J., Moras, D., Vassilyev, D.G. and Yokoyama, S. “Crucial role of the HIGH-loop lysine for the catalytic activity of arginyl-tRNA synthetase”, *J. Biol. Chem.* 276, 3723-3726 (2001).
- Sekine, S., Nureki, O., Shimada, A., Vassilyev, D.G. and Yokoyama, S. “Structural basis for anticodon recognition by discriminating glutamyl-tRNA synthetase”, *Nature Struct. Biol.* 8, 203-206 (2001).
- Fukai, S., Nureki, O., Sekine, S., Shimada, A., Tao, J., Vassilyev, D.G. and Yokoyama, S. “Structural basis for double-sieve discrimination of L-valine from L-isoleucine and L-threonine by the complex of tRNA^{Val} and valyl-tRNA synthetase”, *Cell* 103, 793-803 (2000).
- Madore, E., Florentz, C., Giegé, R., Sekine, S., Yokoyama, S. and Lapointe, J. “Effect of modified nucleotides on *Escherichia coli* tRNA^{Glu} structure and on its aminoacylation by glutamyl-tRNA synthetase. Predominant and distinct roles of the mnm⁵ and s² modifications of U34”, *Eur. J. Biochem.* 266, 1128-1135 (1999).
- Sekine, S., Nureki, O., Tateno, M. and Yokoyama, S. “The identity determinants required for the discrimination between tRNA^{Glu} and tRNA^{Asp} by glutamyl-tRNA synthetase from *Escherichia coli*” *Eur. J. Biochem.* 261, 354-360 (1999).
- Sekine, S., Nureki, O., Sakamoto, K., Niimi, T., Tateno, M., Go, M., Kohno, T., Brisson, A., Lapointe, J. and Yokoyama, S. “Major identity determinants in the “augmented D helix” of tRNA^{Glu} from *Escherichia coli*” *J. Mol. Biol.* 256, 685-700 (1996).
- Tateno, M., Nureki, O., Sekine, S., Kaneda, K., Go, M. and Yokoyama, S. “A three-dimensional structure model of the complex of glutamyl-tRNA synthetase and its cognate tRNA”, *FEBS Letters* 377, 77-81 (1995).
- Nureki, O., Vassilyev, D.G., Katayanagi, K., Shimizu, T., Sekine, S., Kigawa, T.,

Miyazawa, T., Yokoyama, S. and Morikawa, K. "Architectures of class-defining and specific domains of glutamyl-tRNA synthetase", **Science** 267, 1958-1965 (1995).